

Model OT-PLC302-N Ethernet Extender Product Datasheet



CEFC Rohs 🗘 🕱

www.ourten.com



OT-PLC302-N is a high-speed Ethernet Extender which allows 100 BaseT Ethernet to be transmitted over single pair

2-wire copper cable for a long distance.


This device contains one Receiver unit and one Transmitter unit, and can be connected to the existing cabling

infrastructure for IoT devices including IP phones, cameras, access control, speakers and etc.

Features


- IP over one pair 2-wire cable up to 600m
- Full duplex 100Mbps
- Plug and play
- Transparent transmission

Dimension



Note: Dimension error value ±1 mm

Interface Description






Technical Parameter


Category		Description
Power	Available Voltage Range	12~24VDC
	Power Consumption	≤3W / PC
Transmission / Rate	Standard Compliance	IEEE1901, IEEE802.3
	Up Down Agreement	CSMA/CA
	Bandwidth	Full duplex 100Mbps
Physical Characteristic	Dimensions (L \times W \times H)	98×86.5×25mm
	Material	Aluminum Alloy
	Net Weight	165g / PC
Operating Environment	Working Temperature	-20°C~60°C
	Working Humidity	<95% (Non-condensation)

Bandwidth & Distance Chart





Connection Diagram





Shaoxing Ourten Electronics Co., Ltd.

#1 Liando U Valley, No. 1999 Wuxing West Road, Shangyu, Zhejiang, China

Tel: +86-21-5888 9980 (+86-575-8213 7256); Fax: +86-575-8212 7256

Email: sales@ourten.com

www.ourten.com

Thank you for choosing Ourten!